

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 1/(12)

SECTION 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

AdBlue® NO_x-reduction additive

1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: additive, in motor vehicles with diesel engine

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of HSE, SD and QOP

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

Technical information:

MOL-LUB Ltd. Product Development and Technical Service

H-1117 Budapest, Október huszonharmadika utca 18., Hungary

Phone/Fax: +36 80 201 296 or +36 1 464 0236 / +36 1 464 0304

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 2/(12)

SECTION 2 Hazards identification

2.1 Classification of the <u>mixture</u> or substance

Hazard Class and Category: Hazard statement:

-

2.2 Label elements

Product identification:

Trade name: AdBlue® NO_x-reduction additive

Hazardous substance(s): -

GHS Pictogram: -Signal word: -

Hazard statement:

Not required.

Supplemental hazard information: -

Precautionary statements - General: -

Precautionary statements – Prevention:

P273 Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: not required Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 3/(12)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Water solution of urea.

Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Carbonic acid diamide	200-315-5	57-13-6	-	-	31,8-33,2

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. In the event of a complaint, call

medical attention.

Skin contact: Wash skin with large amounts of water, use soap.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In the event of a

complaint, get medical attention.

Ingestion: Do not induce vomiting, drink a small amount of clean water (room

temperature, up to 2 dl for an adult).

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

Prolonged and/or repeated contact may cause irritation.

Decomposition gases may cause irritation in the respiration tract.

Swallowing a large amount may cause digestion disorders.

4.3 Indication of any immediate medical attention and special treatment need Not required.



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

2/2008/EC MOL-LUB Ltd.

Trade name: **AdBlue® NO_x-reduction additive**

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 4/(12)

SECTION 5 Fire-fighting measures

Fire hazards:

Not combustible.

5.1 Extinguishing media

Suitable extinguishing media:

According to burning environment.

Unsuitable extinguishing media:

No data.

5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

Solid urea decomposes above the melting point (132.7 to 135 $^{\circ}$ C): carbon monoxide, carbon dioxide, ammonia, nitrogen may be produced.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations, respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.

6.2 Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid. Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: Rinse the given area immediately with water. Dispose of according to local

regulations. According to size and character of the contamination, use the spilled product for agricultural purposes or dispose of in a controlled way

(waste-water treatment plant).

On water: Notify local authorities according to regulations.



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 5/(12)

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with chemicals.

Adequate ventilation required.

Avoid contact with skin and eyes, inhalation of vapours.

Ensure washing facilities after working hours and before breaks. Take off contaminated clothing, wash with warm water and soap.

Handling temperature: no data

7.2 Conditions for safe storage, including any incompatibilities

Keep general measures applied for normal operations with chemicals.

The producer dispatches the urea solution with a temperature up to max. 30°C.

Transported in insulated tank trucks or palletized plastic tanks (IBC).

Materials suitable for these tanks are alloy steels, various plastics, as well as metal tanks with plastic coating.

Plain steels, copper, aluminium, alloys containing copper and aluminium, galvanized steels must not be used.

Requirements for materials to be used in direct contact with the product : in AUS 32 (CEFIC) Quality Assurance Guidance Document.

In order to avoid crystallization or hydrolysis in the urea solution, store under common conditions (optimally to 25°C).

Retail package in canisters with a volume of max. 15 l.

7.3 Specific end use(s)

Additive, in motor vehicles with diesel engine.

SECTION 8 Exposure controls / personal protection

Engineering control measures:

Adequate ventilation.



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 6/(12)

8.1 Control parameters:

EU (2000/39/EC):

Ammonia: 14 mg/m³ (eight-hour's time-weighted average)

36 mg/m³ (short-term)

8.2 Exposure controls

Personal protection:

Respiratory protection: Under normal use conditions, respirator is not usually

required. Use effective respirator, mask with ammonia-proof

liter.

Hand protection: Protective gloves (chemical resistant) (EN 374).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

Eye protection: Where splashing is possible, wear safety glasses (EN 166).

Skin protection: Protective clothing.

Other special: No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: liquid

Colour: colourless, clear liquid
Odour: slight ammonia scent

Change in physical state:

Crystallization point: typ. -11.5°C

Others:

Flash point:

Ignition point:

Thermal conductivity (at 25°C):

Explosive properties:

Oxidizing properties:

Oxidizing properties:

Specific heat (at 25°C):

Density:

not applicable

not available

cca 0.57 W/m.K

not explosive

not available

cca 3.4 kJ/kg.K

1087 – 1093 kg/m³

Solubility in water: soluble

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 7/(12)

n-Octanol/water partition coefficient:

Viscosity (at 25°C):

Surface tension:

Molecular weight:

Refractive index at 20°C:

not available
cca 1.4 mPa.s
min. 65 mN/m
60.06 kg/kmol
1.3814 – 1.3843

pH value of a 10 %-water solution: max. 9.5

9.2 Other information no data available

SECTION 10 Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous

reactions: Not known.

10.4 Conditions to avoid: Elevated temperatures.

10.5 Incompatible materials: No data.

10.6 Hazardous decomposition

products:

No dangerous decomposition products are formed under normal conditions. Decomposes at a temperature above its melting point

(132.7 to 135 °C), carbon monoxide, carbon dioxide, ammonia

and nitrogen oxides.

Hazardous combustion products: See Section 5.

SECTION 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral: LD_{50} (rat): > 2000 mg/kg

Dermal: no data

Acute toxicity: irritation

Skin contact: not irritant Eye contact: not irritant

Respiratory or skin sensitisation: not sensitising



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 8/(12)

Other information, specific effects:

Germ cell mutagenicity: not known, resp. not mutagen (based on components)

Carcinogenicity: not known, resp. not carcinogen (based on

components)

Reproductive toxicity: not known, resp. no reproduction-damaging effect

(based on components)

STOT-single exposure: not classified STOT-repeated exposure: not classified Aspiration hazard: not classified

SECTION 12 Ecological information

12.1 Toxicity No data available for the preparation.

Aquatic organisms: Soil organisms:

Plants:

12.2 Persistence and degradability

Biodegradability: Substantial biodegradation in water and soil.

12.3 Bioaccumulative potential Accumulation in organisms is not to be expected.

12.4 Mobility

Mobility in soil: Substantial biodegradation in soil.

Mobility in water: Soluble in water.

12.5 Results of PBT and vPvB

assessment Not required.

12.6 Other adverse effects

Biological oxygen demand: No data.
Chemical oxygen demand: No data.
Heavy metal content: None.
PCT, PCB and other chlorinated None.

hydrocarbons:

Environmental effects: Contamination of water by a large amount may occur

adverse affects on the aquatic environment because of

high consumption of oxigen.

Water hazard class (German):

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 9/(12)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 16 05 09

Discarded chemicals.

Waste Identification Code: 06 10 99 Wastes not otherwise specified.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 02

Plastic packaging.

Note: Empty containers can be reused after cleaning with water.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14 Transport information

Land transport:

Road/ Railway ADR/RID: Not classified.

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards
- 14.6 Special precautions for user



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 10/(12)

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.

15.2 Chemical safety assessment.

not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

1272/2008/EC regulation, Annex XVII. of REACH

Relevant Hungarian and EU regulations

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

- -

The full text of each relevant Hazard classes and cat., and H-phrase in Section 3.:

- -



MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 11/(12)

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labelling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (1272/2008/EC)
CMR Carcinogenic, Mutagenic or toxic to Reproduction

COD Chemical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Chemicals Agency
Ecx Effective Concentration x%

ErC50 EC50 in terms of reduction of growth rate

Edx Effective Dose x%
EC European Community
EC number European Community number

ELINCS European List of Notified Chemical Substances

ES Exposure Scenario

ESIS European Chemical Substances Information System IARC International Agency for Research on Cancer

IATA International Air Transport Association IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x%

LDx Lethal Dose x%

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level NOEC No observed effect concentration

NOEL No observed effect level

NLP No-Longer Polymer NOAEL No Observed Adverse Effect Level

OECD Organisation for Economic Cooperation and Development

PBT Persistent Bioaccumulative and Toxic
PNEC Predicted No-Effect Concentration

ppm parts/million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: AdBlue® NO_x-reduction additive

Version: 10 Latest revision: 07. 02. 2020 Date of issue: 26. 09. 2006 Page: 12/(12)

RID Regulations concerning the International carriage of Dangerous Goods by Rail

SVHC Substance of Very High Concern

UVCB substance of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
15	Regulatory information: S-phrases	23.04.2007	1
6	Accidental release measures: Clean up procedures	25.05.2007	2
7	Storage and transport		
1-16	Regulatory information, other corrections	20.07.2007	3
1-16	Regulatory information, other corrections	20.05.2010	4
13	Disposal considerations	04.08.2010	5
1-16	Revision modification according to 453/2010/EC and 1272/2008/EC	31.07.2012	6
5	Fire hazards	10.03.2015	7
14	Transport information		
1-16	Other corrections		
1-16	Other corrections, Revision modification according to	26.03.2018	8
	2015/830 /EU		
3	Composition/information on ingredients	28. 11. 2019	9
9	Physical and chemical properties	07. 02. 2020	10