



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 1/(12)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier:

**MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: synthetic 4-stroke motorcycle motor oil.

Uses advised against: application other than the above.

1.3. Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Distribution and Service Ltd.

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Distribution and Service Ltd.

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL LUB Kft.

Phone: +36 80 201 296

e-mail: EBKHelpdesk@MOL.hu

1.4. Emergency telephone number

Emergency telephone (on workdays: 07-15<sup>20</sup> h (CET)): +36 34 526 210

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián út 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Hazard Class and Category:                      Hazard statement:

Not classified.

-



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 2/(12)

### 2.2. Label elements

Product identification: Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Hazardous components: -

GHS Pictogram: Not required.

Signal word: Not required.

Hazard statement:  
**Not required.**

Supplemental hazard information:  
**EUH210** Safety data sheet available on request.

Precautionary statements – General: -

Precautionary statements – Prevention:  
**P273** Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:  
**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Tactile Warning and child-resistant fastening: Not required.

Transport classification: see section 14.

### 2.3. Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 3/(12)

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Chemical description: Mixture of base oils containing additives.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based* REACH Registr. Nr.: 01-2119474878-16	276-737-9	72623-86-0	- (Note L)	-	max. 65
Distillates (petroleum), hydrotreated heavy paraffinic REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	Asp. Tox. 1 (Note L)	H304	max. 50
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based REACH Registr. Nr.: 01-2119474889-13	276-738-4	72623-87-1	Asp. Tox. 1 (Note L)	H304	max. 45
Distillates (petroleum), hydrotreated heavy paraffinic REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	- (Note L)	-	max. 40
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based* REACH Registr. Nr.: 01-2119474889-13	276-738-4	72623-87-1	- (Note L)	-	max. 40

\*: with exposure limit

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 4/(12)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

#### 4.2. Most important symptoms and effects, both acute and delayed

Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Not required.

### SECTION 5: Fire-fighting measures

Fire hazards:

Combustible

#### 5.1. Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 5/(12)

### 5.3. Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated firefighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

### 6.2. Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil

Notify relevant authority.

### 6.3. Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be removed. Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

### 6.4. Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Keep general measures applied for normal operations with lubricants.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Wash hands before breaks and at end of work.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 6/(12)

### 7.2. Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well-ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C.

### 7.3. Specific end use(s)

Synthetic 4-stroke motorcycle motor oil.

## SECTION 8: Exposure controls / personal protection

### 8.1. Control parameters:

**Mineral oil mist:** TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

### 8.2. Exposure controls

Engineering control measures:

Not required.

Personal protection:

(a) Eye/face protection Where splashing is possible, wear safety glasses (EN 166).

(b) Skin protection

(i) Hand protection Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

(ii) Other Protective clothing (oil resistant).

(c) Respiratory protection Under normal conditions not required. In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 7/(12)

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

a) Physical state:	liquid
b) Colour:	brown, clear
c) Odour:	characteristic
d) Melting point/freezing point (Pour point) (ISO 3016):	typ. -36°C
e) Boiling point or initial boiling point and boiling range (DIN 51356):	not available
f) Flammability:	combustible
g) Lower and upper explosion limit:	not available
h) Flash point (COC) (EN ISO 2592):	typ. 205°C
i) Auto-ignition temperature:	not available
j) Decomposition temperature:	not available
k) pH:	not applicable
l) Kinematic viscosity (EN ISO 3104) at 40°C:	typ. 153.0 mm <sup>2</sup> /s
at 100°C:	typ. 24.1 mm <sup>2</sup> /s
m) Solubility Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n) Partition coefficient n-octanol/water (log value):	not available
o) Vapour pressure at 20°C:	negligible
p) Density and/or relative density at 15°C (EN ISO 12185):	0.85 – 0.86 g/cm <sup>3</sup>
q) Relative vapour density:	not available
r) Particle characteristics:	not available

#### 9.2. Other information

no data available

### SECTION 10: Stability and reactivity

10.1. Reactivity	Dangerous reactivity not known.
10.2. Chemical stability	No decomposition if stored and handled properly.
10.3. Possibility of hazardous reactions	Not known.
10.4. Conditions to avoid	Direct heat or ignition sources.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 8/(12)

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

Oral:	LD <sub>50</sub> (rat)	> 2000 mg/kg	(based on components)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	(based on components)

Components:

*Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1)*

Oral:	LD <sub>50</sub> (rat)	> 5000 mg/kg
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg
Inhalation:	LC <sub>50</sub> (rat)	> 5.53 mg/L

*Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)*

Oral:	LD <sub>50</sub> (rat)	> 2000 mg/kg	(OECD 401)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	(OECD 402)
Inhalation:	LC <sub>50</sub> (rat)	> 5000 mg/m <sup>3</sup>	(OECD 403)

*Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS: 72623-86-0)*

Oral:	LD <sub>50</sub> (rat)	> 5000 mg/kg	
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	
Inhalation:	LC <sub>50</sub> (rat)	> 5000 mg/m <sup>3</sup>	(dust, fog)

Skin corrosion/irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.





## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 9/(12)

### SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met.

Components:

*Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1)*

Fishes: LC<sub>50</sub> > 100 mg/L

*Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)*

Fishes: > 1000 mg/L 96 h (OECD 203)

Daphnia: > 100 mg/L 48 h (OECD 202)

Algae: > 100 mg/L 72 h (OECD 201)

*Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS: 72623-86-0)*

Algae: NOEC ≥100 mg/L 72 h

12.2. Persistence and degradability

Biodegradability: Hydrocarbons are inherently degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

Absorbs in soil.

Mobility in water:

Floats on water.

12.5. Results of PBT and vPvB assessment

Does not contain PBT and vPvB substances, at a concentration of 0.1% or more.

12.6. Endocrine disrupting properties

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

12.7. Other adverse effects

Heavy metal content:

None.

PCT, PCB and other chlorinated hydrocarbons:

None.

Water hazard class (German):

WGK 1 (Classification by AwSV)





## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 11/(12)

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.

Seveso category: not classified.

15.2. Chemical safety assessment.

not available

### SECTION 16: Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified.

*The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:*

H304                      May be fatal if swallowed and enters airways.

Asp. Tox. 1              Aspiration hazard Category 1

#### Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling



# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Dynamic Racing MOTO 5W-60 synthetic 4-stroke motorcycle motor oil**

Version: 1

Latest revision:

Date of issue: 25. 05. 2023

Page: 12/(12)

CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ecx	Effective Concentration x%
ErC50	EC50 in terms of reduction of growth rate
Edx	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## Revision Indicators:

Section	Subject of change	Date	Version